

Allied Export

Please find below a selection of our fast moving products, for full product list and further information please get in touch with us on +44 (0)1925 232662 or email us at mail@alliedexport.co.uk

Cable Cleats

GCT

Part No.	Max Cable size mm	Pack Quantity	Hole Size mm
CC5	12.7	100	6
CC6	15.2	100	6
CC7	17.8	100	6
CC8	20.3	100	6
CCC9	22.8	100	6
CC10	25.4	100	6
CC11	27.7	100	6
CC12	30.5	50	10
CC14	35.5	50	10
CC16	40.6	50	10
CC18	45.7	50	10
CC20	58.8	50	10



Suitable for fixing all types of SWA Cable
 Material Black Polypropylene
 High Impact and Ultra Violet resistant

Cable Cleats 2 Part Clamps

Part No.	Cable Acceptance Range mm	Pack Quantity	Hole Size mm
TPCC9	50.8- 57.1	100	2 x 10
TPCC10	57.0- 63.5	100	2 x 10
TPCC11	63.4- 69.8	100	2 X 10
TPCC12	69.7- 76.2	100	2 X 10
TPCC14	76.1- 82.5	100	2 X 10
TPCC15	82.5- 105	100	2 X 10

Larger sizes available

All Round Fixing Band - PVC Coated

Part No.	Cable Acceptance Range mm	Hole Size mm
ARB12B	All Round Fixing Band 12mm Black	5
ARB12GLV	All Round Fixing Band 12mm Galvanised	5
ARB12R	All Round Fixing Band 12mm Red	5
ARB12W	All Round Fixing Band 12mm White	5
ARB17B	All Round Fixing Band 17mm Black	7
ARB17GLV	All Round Fixing Band 17mm Galvanised	7
ARB17R	All Round Fixing Band 17mm Red	7
ARB17W	All Round Fixing Band 17mm White	7



Colours - Black, White, Red and Galvanised (10m PACKS)
 Weather Resistant and UV Resistant
 Fix anything- highly versatile- no waste

Part No.	Description	Diameter min/max mm
USJK10*	Underground Straight Joint Kit 1.5mm-10mm 4core	8.00-20
USJK1516*	Underground Straight Joint Kit 1.5mm-16mm 4 core	13-25
USJK25*	Underground Straight Joint Kit 10,16 & 25mm 4 core	13-25
USJK50	Underground Straight Joint Kit 25, 35 & 50mm 4 core	18-30
USJK120	Underground Straight Joint Kit 70,95 & 120mm 4 core	25-45
USJK240	Underground Straight Joint Kit 150,185 & 240mm 4 core	45-60
USJK400	Underground Straight Joint Kit 300 & 400mm 4 core	50-100

All joints are supplied with clear molds, resin pack, earth continuity kit, (* Complete with terminations and earth bonding kit) protective gloves and sealing tape. Resin filled cable joints for all types of SWA cable up to 3.6KV. Wide cable acceptance range and easy fit shells. Joint selection chart for 2/3/4 core cables to BS 5467.



2 Part Epoxy Resin Packs

Part No.	Description	Unit
RP160	2 Part Epoxy Resin Pack 160ml	1
RP325	2 Part Epoxy Resin Pack 300ml	1
RP550	2 Part Epoxy Resin Pack 550ml	1
RP1000	2 Part Epoxy Resin Pack 1000ml	1
RP2000	2 Part Epoxy Resin Pack 2000ml	1
RP3000	2 Part Epoxy Resin Pack 3000ml	1

Underground Branch Joint Kits

Part No.	Underground Branch Joint Kit / Description	Diameter min/max mm
UBJK10*	4-10mm 4 core mains (10mm branch)	8.00-20
UBJK25*	10-25mm 4 core mains (25mm branch)	13-30
UBJK50	25-50mm 4 core mains (35mm branch)	18-30
UBJK120	50-120mm 4 core mains (35mm branch)	25-45
UBJK240	120-240mm 4 core mains (35mm branch)	45-60
UBJK400	240-400mm 4 core mains (35mm branch)	50-100

(* Complete with terminations and earth bonding kit). Spare resin packs also available

Warning Tapes

Part No.	Description
UMT-EL	150mm x 365mm Underground warning tape
HWT-BY	Hazard Warning Tape Black/Yellow Adhesive
HWT-RW	Hazard Warning Tape Red/White Adhesive

